



Wireless label printer

QL-810Wc





PRE-SIZED NETWORK LABELS CONNECTION



brother.co.uk/QL810Wc

Wireless label printer

The Brother QL-810Wc is a high-speed label printer which prints labels directly from a PC, Mac, Smartphone or tablet using USB or Wi-Fi, as well as 2-colour labels containing black and red.



QL-810Wc

Key Features:

- Choose from pre-sized labels or Brother's continuous roll option which allows you to print labels to the size you need up to 1 metre in length
- USB and Wi-Fi connectivity with AirPrint support to print directly from another wireless device
- Built-in label editing software doesn't need installing. Simply click to run
- Integrated cutter to create your own length labels
- Download free P-touch Editor label design software to include barcodes, images and print from a database

Versatile & easy-to-use

This high-speed label printer connects to your PC, Mac, smartphone or tablet using USB or Wi-Fi. The built-in P-touch Editor Lite software is so easy to use - simply connect the printer to your computer, click the icon to launch the software and design and print your labels.

Thanks to its advanced print mechanism and special label roll, you can also print labels that can contain both black and red colours without the need for ink or toner.

And when you discover you can print custom sized labels up to one metre in length using the integrated cutter and continuous label rolls, it's easy to understand why the QL-810Wc is the ideal choice for offices, workgroups, mail rooms and receptions.





Printer DK-11201(100 labels) DK-22251- 62mm width continuous roll (5 metres)

USB cable AC power cord Documentation

Printing / Media

Printing technology Direct thermal

Print resolution 300 x 300dpi

Maximum print speed* 110 labels per minute or 176mm per second

Label widths 12mm - 62mm Maximum print width 60.96mm

Minimum label length 12.7mm

Maximum label length 1 metre Media sensor type Reflective

Cutter Yes (full cut / guillotine type)

Media types DK rolls (DK pre-sized labels / DK continuous tape)

Control panel

Buttons Power / Feed / Cut / P-touch Editor Lite

Connectivity

USB version 2.0 full-speed (type B) **iOS and Android compatibility** Yes (including AirPrint)

Memory

Flash (for label templates) 6MB

Locations (for label templates) 99

Power

Power 220-240V AC internal power supply Auto sleep mode Yes

Weights / Dimensions

Dimensions 125 (w) x 234 (d) x 145 (h) mm Weight 1.12kg

Operating system support

(visit http://support.brother.com for latest downloads and support)

Windows:

Vista, 7, 8, 8.1, 10, 11, Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022 Mac: 10.10, 10.11, 10.12, 10.13, 10.14, 10.15, 11, 12 iOS 6 (SDK), 7 (SDK), 8, 9 (iPrint&Label App) iOS 7, 8, 9, 10, 11 (iOS SDK) Android 4.1 or greater (iPrint&Label App) Android 4.0.3 or greater (Android SDK)

Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook P-touch Editor Lite (Windows) iPrint&Label (iOS/Android)

SDK availability

(visit http://www.brother.eu/ developer)

b-PAC (for Windows) iOS SDK Android SDK

Supported printer

commands ESC/P P-touch template Raster

Label crop and print

(convert A4 sheets of labels to individual labels automatically)

Yes (Windows only)

Barcode symbologies

(using P-touch Editor for Windows)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac)

CODE39, CODE128, UCC/ EAN128 (GS1-128), ITF(I-2/5), CODABAR (NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, GS1 DataBar (RSS) (GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Limited, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(Built-in printer firmware)

CODE39, CODE128, UCC/ EAN-128 (GS1-128), ITF (I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13 (JAN13), EAN8, GS1 DataBar (RSS) (GS1 DataBar Omnidirectional, GS1 DataBar Truncated, GS1 DataBar Stacked, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Limited, GS1 DataBar Expanded, GS1 DataBar Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR Code(Model 1, Model 2, Micro), Data Matrix (ECC200 Square, ECC200 Rectangular), MaxiCode, CODE93 POSTNET, UPC-E EXTENTION

Internal fonts

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)

* Brother standard test environment. Using DK-11201 standard labels and USB connection.

www.brotherearth.com



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

